

Claims 1-14. (Canceled).

---

Claim 15. (Currently Amended) Cosmetic or dermatological composition for topical application in the form of an aqueous gel, comprising:

E1 (a) at least one associative non-crosslinked acrylic copolymer having a C<sub>8</sub>-C<sub>32</sub> hydrophobic chain, and being present in a proportion of 0.8 to 20% by weight with respect to the total weight of the composition,

(b) as the sole surfactant(s) of said composition, ~~at least one~~ one or more non-ionic surface-active agent(s), in a ratio of 1/20 to 1/5 with respect to the associative non-crosslinked copolymer but in a proportion of less than 1% by weight with respect to the total weight of the composition, and

(c) at least one insoluble conditioning agent selected from the group consisting of a silicone, a hydrocarbon, a fatty alcohol and a fatty ester, said conditioning agent being present in a proportion of 0.01 to 20% by weight with respect to the total weight of the composition.

---

16. (Previously Added) Composition according to Claim 15, wherein the proportion of non-crosslinked copolymer is comprised between 1 and 10% by weight with respect to the total weight of the composition.

17. (Previously Added) Composition according to Claim 15, wherein the non-crosslinked copolymer is selected from the group consisting of:

(meth)acrylic acid/ethyl acrylate/C<sub>8</sub>-C<sub>22</sub> alkyl acrylate copolymers;  
acrylic acid/lauryl (meth) acrylate copolymers;  
(meth)acrylic acid/C<sub>1</sub>-C<sub>22</sub> alkyl acrylate/polyethoxylated C<sub>1</sub>-C<sub>22</sub> alkyl allyl ether  
copolymers, in which copolymers at least one of the monomers comprises a C<sub>8</sub>-C<sub>22</sub> alkyl  
chain;  
methacrylic acid/ethyl acrylate/polyoxyethylenated lauryl acrylate terpolymers;  
methacrylic acid/ethyl acrylate/polyoxyethylenated stearyl methacrylate  
copolymers;  
(meth)acrylic acid/ethyl acrylate/polyoxyethylenated nonylphenol acrylate  
copolymers;  
acrylic acid/polyoxyethylenated stearyl or cetyl monoitaconate copolymers;  
(meth)acrylic acid/butyl acrylate/hydrophobic monomer comprising a fatty chain  
copolymers;  
acrylic acid/C<sub>8</sub>-C<sub>20</sub> alkyl acrylate/polyethylene glycol acrylate terpolymers;  
(meth)acrylic acid/C<sub>1</sub>-C<sub>22</sub> alkyl acrylate/amphiphilic monomer comprising a C<sub>8</sub>-  
C<sub>22</sub> hydrocarbon-comprising chain copolymers; and  
acrylic polymers modified by hydrophobic groups with a fatty chain.

18. (Previously Added) Composition according to Claim 15, wherein said non-  
ionic surface active agent is selected from the group consisting of oxyethylenated esters  
of sorbitol and of C<sub>8</sub>-C<sub>22</sub> fatty acids and from alkylpolyglucosides.

Claim 19. (Canceled)

Claim 20. (Previously Added) Composition according to Claim 15, wherein the conditioning silicone is volatile having a boiling point of between 60<sup>0</sup>C and 260<sup>0</sup>C.

Claim 21. (Previously Added) Composition according to Claim 15, wherein the conditioning silicone is non volatile and is selected from the group consisting of polyalkylsiloxanes, polyarylsiloxanes, polyalkylarylsiloxanes, silicone gums and resins and organomodified polysiloxanes, and mixtures thereof.

Claim 22. (Previously Added) Composition according to Claim 15, wherein the conditioning hydrocarbon is a linear or branched, cyclic or acyclic C<sub>8</sub>-C<sub>300</sub> hydrocarbon.

Claim 23. (Previously Added) Composition according to Claim 22, wherein the conditioning hydrocarbon is selected from the group consisting of isododecane, isohexadecane isoeicosane, and isotetracosane.

Claim 24. (Previously Added) Composition according to claim 15, wherein the conditioning fatty alcohol is a saturated or unsaturated, linear or branched, C<sub>8</sub>-C<sub>22</sub> fatty alcohol.

Claim 25. (Previously Added) Composition according to Claim 24, wherein the conditioning fatty alcohol is selected from the group consisting of 2-butyloctanol, lauryl alcohol, oleyl alcohol, isocetyl alcohol and isostearyl alcohol.

Claim 26. (Previously Added) Composition according to Claim 15, wherein the conditioning fatty ester is an ester of a C<sub>8</sub>-C<sub>22</sub> fatty acid and of a C<sub>1</sub>-C<sub>22</sub> alcohol or an ester of a C<sub>1</sub>-C<sub>7</sub> acid or diacid and of a C<sub>8</sub>-C<sub>22</sub> fatty alcohol.

Claim 27. (Previously Added) Composition according to Claim 26, wherein the conditioning fatty ester is selected from the group consisting of ethyl, isopropyl, 2-ethylhexyl and 2-octyldecyl palmitate; isopropyl, butyl, cetyl and 2-octyldecyl myristate; butyl and hexyl stearate; hexyl and 2-hexyldecyl laurate; isononyl isononanoate and dioctyl malate.

Claim 28. (Previously Added) Composition according to Claim 15, which further comprises at least one adjuvant selected from the group consisting of fragrances, preservatives, sunscreen agents, sequestering agents, moisturizers, emollients, reducing agents, oxidizing agents, non-oily agents for conditioning hair or skin, colorants, acidifying and basifying agents.

B<sup>2</sup> Claim 29. (new) A process for incorporating an insoluble conditioning agent in a composition in the form of an aqueous gel by mixing at least one non-crosslinked acrylic polymer having a C<sub>8</sub> - C<sub>32</sub> hydrophobic chain, in an amount of 0.8 to 20% by weight with respect to the total weight of the composition, with as sole surfactant(s), one or more non-ionic surfactants(s) in an amount of 1/20 to 1/5 with respect to the non-cross linked polymer, and in an amount of less than 1% by weight with respect to the total weight of the composition.

---